



## TP-Link Omada TL-SM311LM red modulo transceptor Fibra óptica 1250 Mbit/s mini-GBIC/SFP 850 nm

**Marca :** TP-Link

**Familia de productos:** Omada **Código del producto:** SM311LM

**Nombre del producto :** TL-SM311LM

TP-Link Omada TL-SM311LM. Tipo de transceptor SFP: Fibra óptica, Rango máximo de transferencia de datos: 1250 Mbit/s, Tipo de interfaz: mini-GBIC/SFP. Color del producto: Metálico. Voltaje de entrada: 3.3 V. Certificados de conformidad: RoHS, Certificación: FCC, CE. Ancho: 55,4 mm, Profundidad: 13,7 mm, Altura: 12,9 mm



| Desempeño                                |                    | Condiciones ambientales                           |             |
|------------------------------------------|--------------------|---------------------------------------------------|-------------|
| Tipo de transceptor SFP *                | Fibra óptica       | Temperatura mínima de operación                   | 0 °C        |
| Rango máximo de transferencia de datos * | 1250 Mbit/s        | Máxima temperatura                                | 70 °C       |
| Tipo de interfaz *                       | mini-GBIC/SFP      | Intervalo de temperatura operativa                | 0 - 70 °C   |
| Fibra de un modo (SMF) compatible        | ✗                  | Intervalo de temperatura de almacenaje            | -40 - 80 °C |
| Fibra multi-modo (MMF) compatible        | ✓                  | Intervalo de humedad relativa para funcionamiento | 10 - 90%    |
| Conector fibra óptica                    | LC (UPC)           | Intervalo de humedad relativa durante almacenaje  | 5 - 90%     |
| Diámetros de fibra de cable soportado    | 50/125,62.5/125 µm | Peso y dimensiones                                |             |
| Distancia de transferencia máxima        | 550 m              | Ancho                                             | 55,4 mm     |
| Longitud de onda                         | 850 nm             | Profundidad                                       | 13,7 mm     |
| Estándares de red                        | IEEE 802.3z        | Altura                                            | 12,9 mm     |
| Características                          |                    | Contenido del embalaje                            |             |
| Color del producto                       | Metálico           | Cantidad por paquete                              | 1 pieza(s)  |
| Control de energía                       |                    | Empaquetado                                       |             |
| Voltaje de entrada                       | 3.3 V              | Manual de usuario                                 | ✓           |
| Aprobaciones reguladoras                 |                    | Ancho del paquete                                 | 38 mm       |
| Certificados de conformidad              | RoHS               | Profundidad del paquete                           | 207 mm      |
| Certificación                            | FCC, CE            | Altura del paquete                                | 38 mm       |
|                                          |                    | Peso del paquete                                  | 110 g       |
|                                          |                    | Datos logísticos                                  |             |
|                                          |                    | Código de Sistema de Armomización (SA)            | 85369010    |



0845973030209



845973030209



5053959235295



0873395090099



873395090099



8459730302090



0115971107426



115971107426



0168141555190



168141555190



0172304261453



172304261453



6935364030209



0731215283192



731215283192




0898029711225



898029711225



4054318718771



6213759771990




0717559350462



717559350462



1210002619295



0840460605151



840460605151

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.