TP-Link TL-WPA8631P adaptador de red PowerLine 300 Mbit/s Ethernet Wifi Blanco 1 pieza(s)





Marca : TP-Link

Código del producto: TL-WPA8631P

Nombre del producto : TL-WPA8631P

TP-Link TL-WPA8631P. Rango máximo de transferencia de datos: 300 Mbit/s, Estándares de red: IEEE 802.11n, IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, Conector: Tipo E / F. Consumo energético: 11 W. Color del producto: Blanco, Tipo de antena: Interno. Sistema operativo Windows soportado: Windows 10, Windows 8, Windows XP, Windows Vista, Windows 8.1. Ancho: 75 mm, Profundidad: 42 mm, Altura: 152 mm

Desempeño	
Rango máximo de transferencia de datos *	300 Mbit/s
Ethernet *	✔
Tipo de interfaz Ethernet LAN	Gigabit Ethernet
Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s
Ethernet LAN (RJ-45) cantidad de puertos	3
Wifi *	✔
Estándar Wi-Fi	Wi-Fi 5 (802.11ac)
Wi-Fi estándares	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Banda Wi-Fi	Doble banda (2,4 GHz / 5 GHz)
Tasa de transferencia de datos WLAN (primera banda)	300 Mbit/s
Tasa de transferencia de datos WLAN (segunda banda)	867 Mbit/s
Estándares de red *	IEEE 802.11n, IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g
Conector *	Tipo E / F
Enchufe integrado *	✔
Estándar de PowerLine	HomePlug AV2
Modulación	OFDM
Algoritmos de seguridad soportados	WPA2-PSK, WEP, WPA-PSK
Distancia de funcionamiento máximo	300 m
Calidad de servicio (QoS) soporte	✔
Conectar y usar (Plug and Play)	✔

Control de energía	
Consumo energético	11 W
Diseño	
Tipo de antena	Interno
Indicadores LED	✔
Color del producto *	Blanco
Requisitos del sistema	
Sistema operativo Windows soportado	Windows 10, Windows 8, Windows XP, Windows Vista, Windows 8.1
Sistema operativo Linux soportado	✔
Compatible con Mac	✔
Condiciones ambientales	
Intervalo de temperatura operativa	0 - 40 °C
Intervalo de humedad relativa para funcionamiento	10 - 90%
Intervalo de humedad relativa durante almacenaje	5 - 90%
Peso y dimensiones	
Ancho	75 mm
Profundidad	42 mm
Altura	152 mm
Empaquetado	
Ancho del paquete	190 mm
Profundidad del paquete	136 mm
Altura del paquete	100 mm
Peso del paquete	540 g
Tipo de embalaje	Caja

Contenido del embalaje	
Cantidad por paquete *	1 pieza(s)
Guía de instalación rápida	✔
Cables incluidos	LAN (RJ-45)

6935364052522

1210002614955

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-MAY-2026. Prints or copies of Information are only valid on the printed Publication date