



## D-Link DUB-E250 adaptador y tarjeta de red Ethernet 2500 Mbit/s

Marca : D-Link

Código del producto: DUB-E250

Nombre del producto : DUB-E250

D-Link DUB-E250. Tecnología de conectividad: Alámbrico, Interfaz de host: USB Tipo C, Interfaz: Ethernet. Rango máximo de transferencia de datos: 2500 Mbit/s. USB con suministro de corriente. Color del producto: Blanco



Puertos e Interfaces		Control de energía	
Tecnología de conectividad *	Alámbrico	Consumo de energía	250 mA
Interfaz de host *	USB Tipo C	USB con suministro de corriente	✓
Interfaz *	Ethernet	<b>Requisitos del sistema</b>	
Ethernet LAN (RJ-45) cantidad de puertos	1	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64	
Versión USB	2.0/3.2 Gen 1 (3.1 Gen 1)	Sistema operativo Windows soportado	
Conexión		Sistema operativo MAC soportado	
Rango máximo de transferencia de datos *	2500 Mbit/s	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks	
Estándares de red *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x		
Ethernet	✓		
Tipo de interfaz ethernet	2.5 Gigabit Ethernet		
Ethernet LAN, velocidad de transferencia de datos	10,100,1000,2500 Mbit/s		
IEEE Auto MDIX	✓		
Bidireccional completo (Full duplex)	✓		
Etiquetado VLAN	✓		
Diseño			
Color del producto	Blanco		
Interno *	✗		
Compatibilidad con Hot-Plug	✓		
Conectar y usar (Plug and Play)	✓		
Indicadores LED	✓		
Certificación	CE, FCC, IC		
Condiciones ambientales			
Intervalo de temperatura operativa	10 - 45 °C		
Intervalo de temperatura de almacenaje	10 - 70 °C		
Intervalo de humedad relativa para funcionamiento	10 - 85%		
Intervalo de humedad relativa durante almacenaje	5 - 90%		

**Peso y dimensiones**

Ancho	21,5 mm
Profundidad	53 mm
Altura	15 mm
Peso	28,5 g

**Datos logísticos**

Código de Sistema de Armomización (SA)	85176990
--	----------

**Otras características**

Soporte de control de flujo	✓
Longitud de cable	0,16 m



0790069457494



790069457494



0790069457661



790069457661

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.