



TP-Link UB5A adaptador y tarjeta de red Bluetooth

Marca : TP-Link

Código del producto: UB5A

Nombre del producto : UB5A

TP-Link UB5A. Tecnología de conectividad: Inalámbrico, Interfaz de host: USB, Interfaz: Bluetooth



Puertos e Interfaces		Condiciones ambientales	
Tecnología de conectividad *	Inalámbrico	Intervalo de humedad relativa durante almacenaje	5 - 90%
Interfaz de host *	USB	Sostenibilidad	
Interfaz *	Bluetooth	Cumplimiento de sostenibilidad	✓
Versión USB	2.0	Peso y dimensiones	
Conexión		Ancho	14,8 mm
Bluetooth	✓	Profundidad	6,8 mm
Versión de Bluetooth	5.0	Altura	18,9 mm
Diseño		Empaquetado	
Componente para *	PC	Ancho del paquete	118 mm
Interno *	✗	Profundidad del paquete	102 mm
		Altura del paquete	23 mm
		Peso del paquete	38 g
		Contenido del embalaje	
		Guía de instalación rápida	✓
		Detalles técnicos	
		Certificados de conformidad	CE, Comisión Federal de Comunicaciones (FCC) de Estados Unidos
		Datos logísticos	
		Código de Sistema de Armomización (SA)	85176990

Requisitos del sistema

Sistema operativo Windows soportado	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IoT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
-------------------------------------	---

Condiciones ambientales

Intervalo de temperatura operativa	0 - 40 °C
Intervalo de humedad relativa para funcionamiento	10 - 90%



4897098687802

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.